ANALYTICA CHIMICA ACTA, VOL. 275 (1993)

AUTHOR INDEX

Alitupa, E., see Rizzo, A.F. 135
Anderson, R.A., see Williams, K.R. 163
Andre, F., see Le Bizec, B. 123
Andre, F., see Montrade, M.-P. 253
Angeletti, R.
—, Oriundi, M.P., Piro, R. and Bagnati, R.
Application of an enzyme-linked immunosorbent assay kit for β-agonist screening of bovine urines in north-eastern Italy 215
Aranda, A., see Ramos, M. 317
Archimbault, P., see Sar, F. 285

Bagnati, R., see Angeletti, R. 215
Bagyary, S., see Hendriks, L. 113
Batjoens, P.
—, De Brabander, H.F. and T'Kindt, L.
Ion chromatographic determination of perchlorate in cattle urine 335
Batjoens, P., see De Brabander, H.F. 9
Berg, S., see Rizzo, A.F. 135
Bernes-Duyckaerts, A., see Degand, G. 241
Berrini, A., see Brambilla, G.F. 173
Boenke, A.
Certification of the mass concentration of three stilbenes in bovine urine reference materials by gas chromatographic–mass spectrometric methods. Sources of error and their control 3
Bories, G., see Debrauwer, L. 231
Borromeo, V., see Brambilla, G.F. 173
Bosmans, E., see De Boever, J.G. 81
Boyd, D.
—, Shearan, P., Hopkins, J.P., O'Keeffe, M. and Smyth, M.R.
Application of matrix solid phase dispersion for the determination of clenbuterol in liver samples 221
Brambilla, G.F.
—, Berrini, A., Borromeo, V. and Secchi, C.
Detection of growth hormones in the plasma of cows treated with recombinant bovine growth hormone 173
Brose, F., see Scippo, M.L. 57
Bucknall, S.D.
—, MacKenzie, A.L., Sauer, M.J., Everest, D.J., Newman, R. and Jackman, R.
Determination of clenbuterol in bovine liver by enzyme immunoassay 227

Cantoni, C., see Gatti, G.C. 105
Chan, K., see Tang, P.W. 139
Chu, C.S., see Tang, P.W. 139
Clark, D., see Howells, L. 275
Conceição Castilho, M^a., see Ramos, F. 279
Cravedi, J.P.
—, Delous, G., Debrauwer, L., Rao, D. and Prome, D.
Liquid chromatographic separation and gas chromatographic–mass spectrometric determination of 17α-methyltestosterone residues extracted from rainbow trout tissues 89
Crone, D.L., see Tang, P.W. 139

Daenens, P., see Debrabandere, L. 295
Daeseleire, E.
—, De Guesquière, A. and Van Peteghem, C.
Metabolism of 17β,19-nortestosterone in urine of calves after oral intake and intramuscular administration 95
Dagorn, M.
—, Manceau, J., Delepine, B. and Sanders, P.
Methods for the assay of chloramphenicol and two of its metabolites in broiler tissues using two liquid chromatographic methods 305
Da Silveira, M^a.I.N., see Ramos, F. 279
De Boever, J.G.
—, Kohen, F. and Bosmans, E.
Antibody binding efficiency of differently labelled steroid hormones 81
De Boevere, C.
— and Van Peteghem, C.
Development of an immunoaffinity column and an indirect immunoassay with a biotin–streptavidin detection system for aflatoxin M_1 in milk 341
De Brabander, H.F.
—, Batjoens, P., Vanden Braembussche, C., Dirinck, P., Smets, F. and Pottie, G.
Pitfalls in selected ion monitoring in gas chromatography–mass spectrometry: a theoretical example 9
De Brabander, H.F., see Batjoens, P. 335
Debrabandere, L.
—, Van Boven, M., Laruelle, L. and Daenens, P.
Routine detection of buprenorphine in horse urine: possibilities and limitations of the combined use of radioimmunoassay, liquid chromatography and gas chromatography–mass spectrometry 295
Debrauwer, L.
— and Bories, G.
Determination of clenbuterol residues by liquid chromatography–electrospray mass spectrometry 231

Debrauwer, L., see Cravedi, J.P. 89
Debruyckere, G.
—, Van Peteghem, C.H. and De Sagher, R.
Influence of the consumption of meat contaminated with anabolic steroids on doping tests 49
Degand, G.
—, Bernes-Duyckaerts, A., Delahaut, Ph. and Maghuin-Rogister, G.
Determination of β-agonists in urine by an enzyme immunoassay based on the use of an anti-salbutamol antiserum 241
Degand, G., see Renson, C. 323
Degand, G., see Scippo, M.L. 57
De Guesquière, A., see Daeseleire, E. 95
De Jong, A.P.J.M., see Visser, T. 205
Delahaut, P., see Scippo, M.L. 57
Delahaut, Ph., see Degand, G. 241
Delahaut, Ph., see Renson, C. 323
Delepine, B., see Dagorn, M. 305
Deloof, A.C.A., see Vanoosthuyze, K.E. 177
Delous, G., see Cravedi, J.P. 89
De Pozuelo, M.M., see Reuvers, Th. 353
De Sagher, R., see Debruyckere, G. 49
Dias Correia, J.H.R., see Ramos, F. 279
Diaz, R., see Reuvers, Th. 353
Dirinck, P., see De Brabander, H.F. 9
Donike, M., see Schänzer, W. 23
Dürsch, I.
—, Meyer, H.H.D. and Jäger, S.
In vitro investigations of β-agonist accumulation in the eye 189

Elsaesser, F., see Serpek, B. 183
Everest, D.J.
—, Everest, S.J. and Jackman, R.
Spectrophotometric assay for β-lactam residues in kidney tissue 249
Everest, D.J., see Bucknall, S.D. 227
Everest, S.J., see Everest, D.J. 249

Gaspar, P., see Scippo, M.L. 57
Gatti, G.C.
—, Zoboli, G., Zucchi, M., Ramazza, V. and Cantoni, C.
Urinary excretion of androstenedione in cattle as an indicator of possible illegal use in livestock breeding 105
Gielen, B., see Hendriks, L. 113
Grey, P.J., see Williams, K.R. 163

Haesen, V., see Hendriks, L. 113
Hahn, G., see Hammer, P. 313
Hammer, P.
—, Kirchhoff, H. and Hahn, G.
Detection of streptomycins in raw milk by an antibody-capture immunoassay 313
Heeschen, W., see Suhren, G. 329
Heitzman, R.J.
Coordination of information on residues of veterinary drugs in the European Community 17
Hendriks, L.
—, Gielen, B., Pottie, G., Haesen, V., Bagyary, S. and Raus, J.
Matrix effects in the radioimmunoassay of estradiol and testosterone in plasma of veal calves and how to avoid them 113
Hirn, J., see Rizzo, A.F. 135
Hirvi, T., see Rizzo, A.F. 135
Hopkins, J.P., see Boyd, D. 221
Howells, L.
—, Sauer, M., Sayer, R. and Clark, D.
Extraction and clean-up of the β-agonist salbutamol from liver and its determination by enzyme immunoassay 275

Jackman, R.
Strategy for the development and operation of rapid screening methods for residues analysis 347
Jackman, R., see Bucknall, S.D. 227
Jackman, R., see Everest, D.J. 249
Jäger, S., see Dürsch, I. 189
Jiménez, R., see Ramos, M. 317

Kirchhoff, H., see Hammer, P. 313
Kohen, F., see De Boever, J.G. 81

Laruelle, L., see Debrabandere, L. 295
Le Bizec, B.
—, Montrade, M.-P., Monteau, F. and Andre, F.
Detection and identification of anabolic steroids in bovine urine by gas chromatography–mass spectrometry 123
Le Bizec, B., see Montrade, M.-P. 253
Leinonen, A., see Rizzo, A.F. 135
Leroy, P., see Sar, F. 285

MacKenzie, A.L., see Bucknall, S.D. 227
MacKenzie, A.L., see Sauer, M.J. 195
Maghuin-Rogister, G., see Degand, G. 241
Maghuin-Rogister, G., see Renson, C. 323
Maghuin-Rogister, G., see Scippo, M.L. 57
Manceau, J., see Dagorn, M. 305
Meyer, H.H.D., see Dürsch, I. 189
Meyer, H.H.D., see Serpek, B. 183
Monteau, F., see Le Bizec, B. 123
Monteau, F., see Montrade, M.-P. 253
Montrade, M.-P.
—, Le Bizec, B., Monteau, F., Siliart, B. and Andre, F.
Multi-residue analysis for β-agonistic drugs in urine of meat-producing animals by gas chromatography–mass spectrometry 253
Montrade, M.-P., see Le Bizec, B. 123

Newman, R., see Bucknall, S.D. 227
Nicolas, A., see Sar, F. 285

O'Keeffe, M., see Boyd, D. 221
Oriundi, M.P., see Angeletti, R. 215

Pickett, R.J.H.
— and Sauer, M.J.

Determination of clenbuterol in bovine urine by enzyme immunoassay following concentration and clean-up by immunoaffinity chromatography 269
Pickett, R.J.H., see Sauer, M.J. 195
Piro, R., see Angeletti, R. 215
Pottie, G., see De Brabander, H.F. 9
Pottie, G., see Hendriks, L. 113
Pottie, G., see Smets, F. 147
Prates, J.A.M., see Ramos, F. 279
Prome, D., see Cravedi, J.P. 89

Ramazza, V., see Gatti, G.C. 105
Ramos, F.
—, Conceição Castilho, M[a]., Da Silveira, M[a].I.N., Prates, J.A.M. and Dias Correia, J.H.R.
Determination of salbutamol in rats at low concentrations using liquid chromatography with electrochemical detection 279
Ramos, M.
—, Aranda, A., Reuvers, Th. and Jiménez, R.
Determination of dimetridazole residues in bovine tissue by liquid chromatography 317
Ramos, M., see Reuvers, Th. 353
Rao, D., see Cravedi, J.P. 89
Raus, J., see Hendriks, L. 113
Renson, C.
—, Degand, G., Maghuin-Rogister, G. and Delahaut, Ph.
Determination of sulphamethazine in animal tissues by enzyme immunoassay 323
Reuvers, Th.
—, Diaz, R., De Pozuelo, M.M. and Ramos, M.
Rapid screening method for ivermectin residue detection in cattle muscle and liver by liquid chromatography with UV detection 353
Reuvers, Th., see Ramos, M. 317
Rizzo, A.F.
—, Alitupa, E., Hirvi, T., Berg, S., Hirn, J. and Leinonen, A.
Determination of 19-nortestosterone in finnish boar plasma and urine samples 135

Sanders, P., see Dagorn, M. 305
Sar, F.
—, Leroy, P., Nicolas, A. and Archimbault, P.
Development and optimization of a liquid chromatographic method for the determination of gentamicin in calf tissues 285
Sauer, M., see Howells, L. 275
Sauer, M.J.
—, Pickett, R.J.H. and MacKenzie, A.L.
Determination of clenbuterol residues in bovine liver, urine, and eye by enzyme immunoassay 195
Sauer, M.J., see Bucknall, S.D. 227
Sauer, M.J., see Pickett, R.J.H. 269
Sayer, R., see Howells, L. 275
Schänzer, W.
— and Donike, M.
Metabolism of anabolic steroids in man: synthesis and use of reference substances for identification of anabolic steroid metabolites 23
Scippo, M.L.
—, Gaspar, P., Degand, G., Brose, F., Maghuin-Rogister, G., Delahaut, P. and Willemart, J.P.
Control of the illegal administration of natural steroid hormones in urine and tissues of veal calves and in plasma of bulls 57
Secchi, C., see Brambilla, G.F. 173
Serpek, B.
—, Elsaesser, F. and Meyer, H.H.D.
Development of an enzyme immunoassay for the determination of porcine growth hormone in plasma 183
Shearan, P., see Boyd, D. 221
Siliart, B., see Montrade, M.-P. 253
Smets, F.
—, Vanhoenackere, Ch. and Pottie, G.
Influence of matrix and applied method on the detection of anabolic residues in biological samples 147
Smets, F., see De Brabander, H.F. 9
Smyth, M.R., see Boyd, D. 221
Spaan, A., see Van Ginkel, L.A. 75
Stephany, R.W., see Van Ginkel, L.A. 75
Stephany, R.W., see Visser, T. 205
Sterk, S.S., see Van Ginkel, L.A. 75
Suhren, G.
— and Heeschen, W.
Detection of eight sulphonamides and dapsone in milk by a liquid chromatographic method 329

Tang, P.W.
—, Crone, D.L., Chu, C.S., Yeung, H.K. and Chan, K.
Measuring the nandrolone threshold ratio by enzyme-linked immunosorbent assay for 5α-estrane-3β,17α-diol 139
T'Kindt, L., see Batjoens, P. 335

Van Boven, M., see Debrabandere, L. 295
Vanden Braembussche, C., see De Brabander, H.F. 9
Van Ginkel, L.A.
—, Stephany, R.W., Spaan, A. and Sterk, S.S.
Bovine blood analysis for natural hormones: an overview of analytical strategies 75
Van Ginkel, L.A., see Visser, T. 205
Vanhoenackere, Ch., see Smets, F. 147
Vanoosthuyze, K.E.
—, Van Poucke, L.S.G., Deloof, A.C.A. and Van Peteghem, C.H.
Development of a high-performance thin-layer chromatographic method for the multi-screening analysis of corticosteroids 177
Van Peteghem, C., see Daeseleire, E. 95
Van Peteghem, C., see De Boevere, C. 341
Van Peteghem, C.H., see Debruyckere, G. 49
Van Peteghem, C.H., see Vanoosthuyze, K.E. 177
Van Poucke, L.S.G., see Vanoosthuyze, K.E. 177
Van Rossum, H.J., see Visser, T. 205

Visser, T.
—, Vredenbregt, M.J., De Jong, A.P.J.M., Van Ginkel, L.A., Van Rossum, H.J. and Stephany, R.W.
Cryotrapping gas chromatography–fourier transform infrared spectrometry: a new technique to confirm the presence of β-agonists in animal material 205
Vredenbregt, M.J., see Visser, T. 205

Willemart, J.P., see Scippo, M.L. 57
Williams, K.R.
—, Anderson, R.A. and Grey, P.J.
Metabolism of anabolic agents in the racing greyhound 163

Yeung, H.K., see Tang, P.W. 139

Zoboli, G., see Gatti, G.C. 105
Zucchi, M., see Gatti, G.C. 105